




























**HAWKER**  
MOTIVE POWER BATTERY

|                 |                 |                                                                                          |                 |
|-----------------|-----------------|------------------------------------------------------------------------------------------|-----------------|
| TYPE            | 80V 6PzB 450Ah  | CAPACITY                                                                                 | 450 Ah @ C-30°C |
| SERIAL NO       | MP2485          | NUMBER OF CELLS                                                                          | 40              |
| DRAWING NO      | 9936-51818-00-B | NET WEIGHT (kg)                                                                          | 1261 kg         |
| DATE OF PROD    | 18-Mar-2022     | SPECIFIC GRAVITY OF FULLY CHARGED CELL                                                   | 1.29 g/cc       |
| NOMINAL VOLTAGE | 80 Volts        | For Service see <a href="http://www.hawkerbatteries.co.uk">www.hawkerbatteries.co.uk</a> |                 |

**HAWKER**  
perfect plus

**WARNING**

Risk of Shock. Do not touch uninsulated terminals or connectors. Batteries can deliver hazardous levels of voltage or current even after electrolyte has been drained from their cells.

**SAFETY PRECAUTIONS**

No sparks, flames or smoking. Ventilate well in an enclosed space when charging. Do not place acids or other liquid objects on the battery. Use only chargers approved by battery manufacturer.

**HAZARD OF CORROSION**

Electrolyte acid can cause blindness if swallowed. Flush eyes immediately with water. Keep acid caps tightly in place. GET MEDICAL HELP if in place. GET MEDICAL HELP if in place. Wash hands after handling batteries.

**HAZARD OF EXPLOSION**

Use protective eye shield, clothes and footwear when working on batteries. Engage safety caps when batteries are fully charged and before.

**HAZARD OF FIRE**

Keep fire extinguishers nearby. Do not use open flames.





INTERNAL COMBUSTION COUNTERBALANCED FORK LIFT TRUCK

MODEL TYPE CPCD50 - RX1W13 CE

SERIES NO. 090305769 SERVICE WEIGHT 7100 kg

NOMINAL LOAD CENTER 500 mm RATED CAPACITY 5000 kg

YEAR OF MANUFACTURE 2009

|                    | MAX. LIFT HEIGHT | LOAD CENTER | CAPACITY AT MAX. L.H. |
|--------------------|------------------|-------------|-----------------------|
| WITHOUT ATTACHMENT | 5000 mm          | 500 mm      | 3500 kg               |
| WITH ATTACHMENT    | mm               | mm          | kg                    |

ZHEJIANG HANGCHA ENGINEERING MACHINERY CO., LTD.  
License No.: TS2410418-2012 Add: 398 ShiQiao Road, Hangzhou, China





























